

# Heegermaterials

## SAFETY DATA SHEET

Revision Date 12-Feb-2023

Version 3

### 1. Identification

**Product identifier**

**Product Name** C103 Spherical Powder (flammable)

**Other means of identification**

**Synonyms** Flammable spheroidized C103 alloy powder

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Alloy product manufacture.

**Uses advised against**

**Details of the supplier of the safety data sheet**

**Manufacturer Address**

Heeger Materials Inc.  
230 Steele St Denver, CO 80206, United States  
Tel: 925-385-8104

**Emergency telephone number**

**Emergency Telephone** Chemtrec: 1-800-424-9300

### 2. Hazard(s) identification

**Classification**

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids

Category 1

**Label elements**

#### Emergency Overview

**Danger**

**Hazard statements**

Flammable solids



**Appearance** Powder

**Physical state** Solid

**Odor** Odorless

**Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

If dust clouds can occur, use explosion-proof electrical/ ventilating/lighting/equipment

**Precautionary Statements - Response**

In case of fire: Use salt (NaCl) for extinction.

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

When product is subjected to welding, burning, melting, sawing, brazing, grinding, buffing, polishing, or other similar heat-generating processes, the following potentially hazardous airborne particles and/or fumes may be generated:

Titanium dioxide an IARC Group 2B carcinogen.

### 3. Composition/Information on Ingredient

**Synonyms**

Flammable spheroidized C103 alloy powder.

Chemical Name	CAS No.	Weight-%
Niobium (Columbium)	7440-03-1	87-88
Hafnium	7440-58-6	10
Titanium	7440-32-6	0.7-1.3

### 4. First-aid measure

**First aid measures****Eye contact**

In the case of particles coming in contact with eyes during processing, treat as with any foreign object.

**Skin Contact**

None under normal use conditions.

**Inhalation**

If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove to fresh air and consult a qualified health professional.

**Ingestion**

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

**Most important symptoms and effects, both acute and delayed****Symptoms**

None anticipated.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

Treat symptomatically.

### 5. Fire-fighting measure

**Suitable extinguishing media**

Isolate large fires and allow to burn out. Smother small fires with salt (NaCl).

**Unsuitable extinguishing media**

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material.

**Specific hazards arising from the chemical**

Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.

**Hazardous combustion products**

Titanium dioxide an IARC Group 2B carcinogen.

**Explosion data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** May be ignited by heat, sparks or flames.**Protective equipment and precautions for firefighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**6. Accidental release measur****Personal precautions, protective equipment and emergency procedures****Personal precautions** Use personal protective equipment as required.**For emergency responders** Use personal protective equipment as required. Follow Emergency Response Guidebook, Guide No. 170.**Environmental precautions****Environmental precautions** Collect spillage to prevent release to the environment.**Methods and material for containment and cleaning up****Methods for containment** Prevent further leakage or spillage if safe to do so.**Methods for cleaning up** Sweep or shovel material into dry containers using non-sparking tools. Avoid creating uncontrolled dust.**7. Handling and storage****Precautions for safe handling****Advice on safe handling** Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.**Conditions for safe storage, including any incompatibilities****Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). For long-term storage, keep sealed in argon-filled steel drums.**Incompatible materials** Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, freon.**8. Exposure controls / personal protection****Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL
Niobium (Columbium) 7440-03-1	-	-
Hafnium 7440-58-6	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup> Hf	TWA: 0.5 mg/m <sup>3</sup>
Titanium 7440-32-6	-	-

**Appropriate engineering controls****Engineering Controls** Avoid generation of uncontrolled particles.

**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that shield the eyes from particles.
<b>Skin and body protection</b>	Fire/flammable resistant/retardant clothing may be appropriate during hot work with the product.
<b>Respiratory protection</b>	When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

Physical state	Solid	Odor	Odorless
Appearance	Powder	Odor threshold	Not applicable
Color	Metallic gray or silver		
Property	Values	Remarks • Method	
pH	-	Not applicable	
Melting point / freezing point	2350 °C / 4262 °F		
Boiling point / boiling range	-		
Flash point	-		
Evaporation rate	-	Not applicable	
Flammability (solid, gas)	-	Flammable	
Flammability Limit in Air			
Upper flammability limit:	-		
Lower flammability limit:	-		
Vapor pressure	-	Not applicable	
Vapor density	-	Not applicable	
Specific Gravity	8.57		
Water solubility	Insoluble		
Solubility in other solvents	-		
Partition coefficient	-	Not applicable	
Autoignition temperature	-	Not applicable	
Decomposition temperature	-	Not applicable	
Kinematic viscosity	-	Not applicable	
Dynamic viscosity	-	Not applicable	
Explosive properties	Not applicable		
Oxidizing properties	Not applicable		
Other Information			
Softening point	-		
Molecular weight	-		
VOC Content (%)	Not applicable		
Density	-		
Bulk density	325 lb/ft <sup>3</sup>		

Explosibility Screening: Yes (Explosible)

Minimum Ignition Energy – Dust Cloud without inductance (mJ): <3

Limiting Oxygen Concentration (%): 9-10

Minimum Explosible Concentration (g/m3): 300-350

Explosion Severity (20 Liter Sphere):

•Maximum explosion pressure (bar.g): ≥6.3

•Maximum Rate of Pressure Rise (bar/s): ≥137

•Kst value (bar.m/s): ≥37

Note: Data were obtained from a typical sample. Individual lot result may vary.

Factors such as particle size distribution significantly influence powder reactivity.

**10. Stability and reactivity**

**Reactivity**  
Not applicable

**Chemical stability**

Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Dust formation and dust accumulation.

#### **Incompatible materials**

Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, freon.

#### **Hazardous Decomposition Products**

When product is subjected to welding, burning, melting, sawing, brazing, grinding, buffing, polishing, or other similar heat-generating processes, the following potentially hazardous airborne particles and/or fumes may be generated: Titanium dioxide an IARC Group 2B carcinogen.

## 11. Toxicological information

#### **Information on likely routes of exposure**

##### **Product Information**

**Inhalation** Product not classified.

**Eye contact** Product not classified.

**Skin Contact** Product not classified.

**Ingestion** Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Niobium (Columbium) 7440-03-1	> 10,000 mg/kg bw	> 2000 mg/kg bw	-
Hafnium 7440-58-6	> 5000 mg/kg bw	-	>4.3mg/L
Titanium 7440-32-6	> 5000 mg/kg bw	-	-

#### **Information on toxicological effects**

**Symptoms** None known.

#### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Acute toxicity** Product not classified.  
**Skin corrosion/irritation** Product not classified.  
**Serious eye damage/eye irritation** Product not classified.  
**Sensitization** Product not classified.  
**Germ cell mutagenicity** Product not classified.  
**Carcinogenicity** Product not classified.

**Reproductive toxicity** Product not classified.  
**STOT - single exposure** Product not classified.  
**STOT - repeated exposure** Product not classified.  
**Aspiration hazard** Product not classified.

## 12. Ecological information

**Ecotoxicity**

This product as shipped is not classified for aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Niobium (Columbium) 7440-03-1	-	-	-	-
Hafnium 7440-58-6	The 72 h EC50 of hafnium to <i>Pseudokirchneriella subcapitata</i> was greater than 8 ug of Hf/L (100% saturated solution).	The 96 h LC50 of Hafnium dioxide in water to <i>Danio rerio</i> was greater than the solubility limit of 0.007 mg Hf/L.	-	The 48 h EC50 of Hafnium dioxide to <i>Daphnia magna</i> was greater than the solubility limit of 0.007 mg Hf/L.
Titanium 7440-32-6	The 72 h EC50 of titanium dioxide to <i>Pseudokirchnerella subcapitata</i> was 61 mg of TiO <sub>2</sub> /L.	The 96 h LC50 of titanium dioxide to <i>Cyprinodon variegatus</i> was greater than 10,000 mg of TiO <sub>2</sub> /L. The 96 h LC50 of titanium dioxide to <i>Pimephales promelas</i> was greater than 1,000 mg of TiO <sub>2</sub> /L.	The 3 h EC50 of titanium dioxide for activated sludge were greater than 1000 mg/L.	The 48 h EC50 of titanium dioxide to <i>Daphnia Magna</i> was greater than 1000 mg of TiO <sub>2</sub> /L.

**Other adverse effects****13. Disposal considerations****Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. Transport information****DOT**

UN/ID No.

Regulated  
3089

Proper shipping name

Metal powders, flammable, n.o.s. (Niobium Alloy Powder)

Hazard Class

4.1

Packing Group

II

Special Provisions

IB8, IP2, IP4, T3, TP33

Emergency Response Guide  
Number

170

**15. Regulatory information****International Inventories**

TSCA

Complies

DSL/NDL

Complies

EINECS/ELINCS

Complies

ENCS

Complies

IECSC

Complies

KECL

Complies

PICCS

Not Listed

AICS

Not Listed

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hafnium 7440-58-6	X	X	X
Titanium 7440-32-6	X		

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. Other information**

<b>NFPA</b>	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -
<b>HMIS</b>	Health hazards 1	Flammability 2	Physical hazards 0	Personal protection X

Issue Date 20-Nov-2019

Revision Date 12-Feb-2023

Revision Note

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**

Heeger Materials Inc.