Heegermaterials

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 24-Dec-2023

Revision Number 5

	1. Identification
Product Name	Platinum on activated carbon
Cat No. :	HMCC2729
Synonyms	No information available
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.
Details of the supplier of the	safety data sheet

Company Heeger Materials Inc. 230 Steele St Denver, CO 80206, United States Tel: (925) 385-8104

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids

Category 2

Label Elements

Signal Word Warning

Hazard Statements Flammable solid



Precautionary Statements Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Wear protective gloves/protective clothing/eye protection/face protection **Fire** In case of fire: Use CO2, dry chemical, or foam for extinction **Hazards not otherwise classified (HNOC)** None identified

Other hazards

May cause drowsiness or dizziness. May cause pulmonary edema. May cause skin, eye, and respiratory tract irritation.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Carbon	7440-44-0	95
Platinum 🚫 🚺	7440-06-4	5

	4. First-aid measures
General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Most important symptoms and	None reasonably foreseeable.
effects Notes to Physician	Treat symptomatically
	E. Fine fighting as a surger

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available

850 °C / >662 °F
data available data available information available information available

Specific Hazards Arising from the Chemical

Flammable. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Ensure adequate ventilation formation.	on. Use personal protective equ	uipment as required. Avoid dust
Environmental Precautions	Should not be released int Information.	o the environment. See Sectio	n 12 for additional Ecological
Methods for Containment and C Up	lean Sweep up and shovel into containers for disposal.	suitable containers for disposa	al. Keep in suitable, closed
	7. Handling	and storage	
Handling			sure adequate ventilation. Avoid g. Avoid ingestion and inhalation.
Storage.		nes, hot surfaces and sources	, cool and well-ventilated place. of ignition. Incompatible Materials.
8.	Exposure controls	/ personal protecti	on •

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Carbon				TWA: 2 mg/m ³
Platinum	TWA: 1 mg/m ³	(Vacated) TWA: 1 mg/m ³ TWA: 0.002 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Phy	sical	and	chemic	cal	pro	perties
--	--------	-------	-----	--------	-----	-----	---------

	in hjoroar and onomioal proportioo				
Physical State	Powder Solid				
Appearance					
Odor	No information available				
Odor Threshold	No information available				
рН	No information available				
Melting Point/Range	No data available				
Boiling Point/Range	No information available				
Flash Point	No information available				
Evaporation Rate	Not applicable				
Flammability (solid,gas)	No information available				
Flammability or explosive limits					
Upper	No data available				
Lower	No data available				
Vapor Pressure	No information available				
Vapor Density	Not applicable				
Specific Gravity	No information available				
Lower apor Pressure apor Density pecific Gravity olubility artition coefficient; n-octanol/water					
Partition coefficient; n-octanol/wat	artition coefficient; n-octanol/water				
Autoignition Temperature	>350 °C / >662 °F				
Decomposition Temperature	No information available				
Viscosity					
lolecular Formula Pt					
Molecular Weight	195.08				
	10. Stability and reactivity				
Reactive Hazard	None known, based on information available				
Stability	Stable under normal conditions.				
Conditions to Avoid	Avoid dust formation. Excess heat. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.				
Incompatible Materials	Strong oxidizing agents, Alcohols				
Hazardous Decomposition Produc	ts Carbon monoxide (CO), Carbon dioxide (CO2)				

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

Acute Toxicity

Product Information Oral LD50 No acute toxicity information is available for this product Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

11. Toxicological information

Dermal LD50 Mist LC50 Component Informa	tion			on criteria are not m on criteria are not m		J/kg.
Componen		LD50 Oral		LD50 Dermal	LC50	Inhalation
Carbon		LD50 > 10000 mg/kg (Rat)	Not listed		t listed
Toxicologically Syn Products	-	No information av		nd long-term expo		
Irritation		May cause skin, e				
Sensitization	Sensitization		ailable			
Carcinogenicity		The table below in	ndicates whether e	each agency has lis	ted any ingredient a	as a carcinogen.
Component	CAS No	D IARC	NTP	ACGIH	OSHA	Mexico
Carbon	7440-44	-0 Not listed	Not listed	Not listed	Not listed	Not listed
Platinum	7440-06	-4 Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects Reproductive Effect Developmental Effe	_		No information available. No information available.			
Teratogenicity STOT - single expos STOT - repeated exp		No information av None known None known				
Aspiration hazard		No information av	No information available			
Symptoms / effects delayed	,both acute	and No information av	ailable	•_•		
Endocrine Disrupto	r Informatio	n No information av	No information available			
Other Adverse Effec	ots	tiredness, nausea photophobia. May of the digestive tra	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. May cause lacrimation (tearing), blurred vision, and photophobia. May cause chemical conjunctivitis and corneal damage. May cause irritation of the digestive tract. May cause nausea, vomiting, abdominal pain, and increased salivation. The toxicological properties have not been fully investigated.			

12. Ecological information

Ecotoxicity Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Do not empty into drains.

Persistence and Degradability	Insoluble in water
Bioaccumulation/ Accumulation	No information available.
Mobility	Is not likely mobile in the environment due its low water solubility.
	13. Disposal considerations
Waste Disposal Methods	After use: spent catalysts may become explosive. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN1325
Proper Shipping Name	Flammable solid, organic, n.o.s.
Technical Name	Carbon
Hazard Class	4.1
Packing Group	111
TDG	
UN-No	UN1325
Proper Shipping Name	Flammable solid, organic, n.o.s.
Hazard Class	4.1
Packing Group	111
IATA	
UN-No	UN1325
Proper Shipping Name	Flammable solid, organic, n.o.s.
Hazard Class	4.1
Packing Group	III
IMDG/IMO	
UN-No	UN1325
Proper Shipping Name	Flammable solid, organic, n.o.s.
Hazard Class	4.1
Packing Group	III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Carbon	7440-44-0	X	ACTIVE	-
Platinum	7440-06-4 🗹	X	ACTIVE	-
.egend: 'SCA US EPA (TSCA) - Toxic Sub (- Listed ' - Not Listed			rials r	
SCA 12(b) - Notices of Export	Not applicab	le	s In	•

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Carbon	7440-44-0	Х	-	231-153-3	Х	Х		Х	Х	KE-04671
Platinum	7440-06-4	Х	-	231-116-1	Х	Х		Х	Х	KE-28808

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 No	lot applicable
SARA 311/312 Hazard Categories Se	ee section 2 for more information
CWA (Clean Water Act) No	lot applicable
Clean Air Act No	lot applicable
OSHA - Occupational Safety and No.	lot applicable

Health Administration

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Carbon	-	-	-	-	Х
Platinum	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Carbon	- 7	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Carbon	7440-44-0	Listed	Not applicable	Not applicable	Not applicable
Platinum	7440-06-4	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Carbon	7440-44-0	Not applicable	Not applicable	Not applicable	Not applicable
Platinum	7440-06-4	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Heeger Materials Inc. Email: sales@heegermaterials.com

Creation Date Revision Date 22-Sep-2009 24-Dec-2023 Print Date Revision Summary

24-Dec-2023

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.